



**ఆంధ్రప్రదేశ్ రాజ పత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

**PART I EXTRAORDINARY**

No.166

AMARAVATI, MONDAY, MARCH 17, 2025

G.992

**NOTIFICATIONS BY GOVERNMENT**

--X--

**ENERGY DEPARTMENT**  
**(POWER-II)**

THE ANDHRA PRADESH LIFTS AND ESCALATORS RULES, 2025 TO MAKE UNDER THE ANDHRA PRADESH LIFTS AND ESCALATORS ACT, 2025 (ACT No.3 OF 2025).

**[G.O.Ms.No.31, Energy (Power.II), 13<sup>th</sup> March, 2025.]**

**NOTIFICATION**

In exercise of the powers conferred by section 27 of the Andhra Pradesh Lifts and Escalators Act, 2025 (Act No 3 of 2025), the Government hereby makes the following rules:-

**1. Title and Commencement:**

- 1) These rules may be called the Andhra Pradesh Lifts and Escalators Rules, 2025.
- 2) They shall extend to the whole of the State of Andhra Pradesh.
- 3) They shall come into force at once.

**2. Definitions:**

- (1) In these rules, unless the context otherwise requires,
- a) "Act" means the Andhra Pradesh Lifts and Escalators Act, 2025 (Act No.3 of 2025);
  - b) "Annexure" means an Annexure appended to these rules;
  - c) "Form" means a form appended to these rules; and

(2) The words and expression used in these rules but not defined shall have the same meaning assigned to them in the Act and the Electricity Act 2003 and Regulations made there under.

**3. Permission to erect or install a Lift or Escalator:**

(1) Every owner of a place intending to erect or install a Lift or Escalator shall make an application in case of a Lift in Form- A1 and in case of an Escalator in Form-A2 to the Chief Inspector of Lifts and Escalations/ the Inspector of Lifts and Escalators for obtaining permission for the erection or installation of the Lift or Escalator. Every such application shall be accompanied by the following namely: -

- (i) Computer print or blue print of drawing drawn to a scale of not less than 1:100 of the installation duly signed by the applicant and the registered person. Drawing of computer print or blue print shall include following particulars, namely:-

**(A) In case of a Lift:-**

- (a) Location of the Lift with respect to the building;
- (b) General Layout of each Lift Installation;
- (c) Plan and sectional elevation of Lift shaft, Lift machine room, and Lift car;
- (d) Arrangement of doors;
- (e) Number of floors to be served and total travel;
- (f) Lift well enclosure;
- (g) Size and position of the equipment relating to the Lift well;
- (h) Position of hoisting machines;
- (i) Wiring diagram of Lift well enclosure, machine room, control panel, and Lift equipment with all wiring, light points and switches; and
- (j) Earthing scheme with size of earth leads, method of construction of earth electrodes, location of earth pits;

**(B) In case of an Escalator:-**

- (a) Location of the Escalator;

- (b) General layout of Escalator Installation;
- (c) Plan and Sectional elevation of Escalator;
- (d) Angle of inclination of Escalator with the horizontal;
- (e) Width of Escalator;
- (f) Vertical rise of the Escalator;
- (g) Arrangement of track and trusses or girders;
- (h) Size and Position of machine room with respect to the Escalator;
- (i) Details of complete step treads and complete assemblies;
- (j) Wiring diagram of machine room, control panel, and the Escalator equipment;
- (k) Position or location of main switches or power supply panel; and
- (l) Earthing scheme with size of earth leads, method of construction of earth electrodes, location of earth pits.

(ii) A copy of the building plan approved by the competent authority duly self certified; along with latest tax paid receipt.

(iii) In case of a Company, Memorandum of Association and Articles of Association and in case of a partnership firm partnership deed along with tax paid details. In case of a partnership firm all the partners of the firm and in case of a registered company not less than two third of total number of Directors may resolve and issue an authorization letter to the authorized signatory to sign the application, completion report, etc. on behalf of the firm or company as the case may be.

(iv) An original Treasury challan for having remitted the fee as specified in Annexure 4.

(v) Declaration in Form-A3 from the registered person to whom the installation or erection work is entrusted.

(2) The erection or installation permission granted shall be in Form-A4.

#### **4. License to use a Lift or Escalator:**

(1) Every owner of a place who is permitted to erect a Lift or Escalator, after completion of the erection of such Lift or Escalator shall make an application in Form-B1 for grant of license to use, to the officer authorized under sub section (1) of section 15 of the Act.

(2) Every such application shall be accompanied by the following namely:-

- (i) Completion report of the Registered person in respect of Lift in Form-B2 and in respect of Escalator in Form-B3;
- (ii) Original Treasury challan for having remitted the inspection fee as specified in Annexure 4;
- (iii) Copy of manufacturer test certificates for the following namely:-

**(A) In case of Lifts:-**

- (a) motor or machine.
- (b) over speed governor .
- (c) controller.
- (d) buffers.
- (e) door drive.
- (f) Lift Car and Landing door fire rating.
- (g) main hoist and governor rope .
- (h) electrical travelling cable.

**(B) In case of Escalators :-**

- (a) motor and machine.
- (b) over speed governor.
- (c) controller.

(3) The Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators shall, after making such enquiry and inspection as may be necessary may grant license to use Lift in Form-B4 and Escalator in Form-B5 for Five years as the case may be subject to such terms and conditions as specified in rule 12.

**5. Renewal of license to use a Lift or Escalator:**

(1) Every owner of a Lift or Escalator shall make an application for renewal of license three months before the expiry of the license in Form-C1 along with the original license to the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators along with test certificate of registered person in Form-C2 for Lift and in Form-C3 for Escalator and an original Treasury Challan for having remitted renewal fee as specified in Annexure 4.

(2) On receipt of application, the Authorized officer shall, after making such enquiry and inspection as may be necessary may renew the license for further period of Five years for use of Lift in Form-B4 and for use of Escalators in Form-B5, as the case may be, subject to such terms and conditions as specified in rule 12.

(3) In the event of the holder of a license failing to renew the license before the date of its expiry in the said manner, the

license shall become invalid and a fresh license shall have to be obtained.

**6. Requirement for registration of manufacturer or maker or other person:**

(1) Any manufacturer or maker or other Person who intends to either erect or install or carryout periodical testing and maintenance of Lifts or Escalators, shall register with the Chief Inspector of Lifts and Escalators by making an application in Form-D1 along with the Registration fee as specified in Annexure 4.

(2) Every application for registration in Form-D1 shall be accompanied by the following, namely:-

- i. Proof of address of business premises i.e., copy of ownership document or rental or lease agreement and latest tax paid receipt;
- ii. Communication Proof;
- iii. Product Catalogue of the company;
- iv. List of equipment and Critical spares maintained, as listed in Annexure-2;
- v. List of erection tools as listed in Annexure-3; and
- vi. Trade license for the premises issued by the Local Authority.

(3) In addition to the above the person seeking registration shall furnish any other relevant testimonials or documents when sought by the Chief Inspector of Lifts and Escalators.

(4) On receipt of such application, the Chief Inspector of Lifts and Escalators after conducting such enquiry and inspection as may be necessary may require the applicant to furnish such information as required under rule 8 and after satisfying the conditions specified therein, may either register or refuse to register for the reasons to be recorded in writing.

(5) The Registration initially granted under this rule shall be in Form-D2 and valid for a period of three years from the date of grant by the Chief Inspector of Lifts and Escalators.

(6) An applicant whose registration previously had been cancelled on grounds of malpractice shall be disqualified for registration.

**7. Requirement for renewal of Registration for manufacturer or maker or other person:**

(1) Registered person under rule 6 shall apply for renewal of the same in Form-D3 within 90days before the expiry of registration along with the renewal of Registration fee as specified in Annexure 4 to the Chief Inspector of Lifts and Escalators Provided that,

applications may also be submitted within 90 days after the date of expiry of the registration, with a penal fee specified in the Annexure 4. But if the applications received after grace period of 90 days, the registration shall be treated as lapsed and fresh registration has to be obtained on payment fee prescribed in Annexure 4.

(2) Every application for renewal of registration shall be accompanied by the following documents, namely:-

- a) List of erection and maintenance team or staff along with supporting documents for having fulfilled conditions mentioned in rules 8 and 9;
- b) A copy of the valid Electrical Contractor License in his possession Supervisor and Wiremen Permits endorsed to his own license;
- c) The fee in the form of challan as specified in the Annexure-1 having fulfilled conditions mentioned in rules 8 and 9;

(3) On receipt of such application the Chief Inspector of Lifts and Escalators after conducting such enquiry, inspection and may call for such information as necessary and may renew the registration for a further period of three years in Form "D2" subject to terms and conditions specified in rules 8, 9 and 10 or refuse to renew the registration for the reasons to be recorded in writing.

### **8. Conditions for Registration:**

Any person including manufacturer or maker or other person of Lift or Escalator intending to erect or undertake maintenance shall fulfill the following requirements, namely:-

- (a) The applicant must have attained the age of 21 years as on the date of receiving application and has passed tenth standard examination. In the case of a company the Managing Director, the Manager incharge or in case of partnership firm, Manager or Managing Partner shall satisfy the said conditions.
- (b) The applicant shall not utilize the existing or similar trade names or seek company or firm names which are already registered.
- (c) If the registration is sought for a partnership firm, the firm must have registered with the Registrar of Firms or if the registration is sought for a registered company the same must have registered with the Registrar of Companies and a copy of Memorandum and Articles of association approved by the Registrar of Companies shall be accompanied with application. In case of a partnership firm all the partners of the firm and in case

of a registered company not less than two third of total number of Directors must resolve and issue an authorization letter to the authorized signatory to sign the application, completion report, etc. on behalf of the firm or company as the case may be.

(d) The applicant shall have an exclusive business premises to carry out business incidental to grant of registration and shall be easily accessible and located within territory of the State of Andhra Pradesh duly licensed for that purpose.

(e) The applicant shall furnish the bank guarantee certificate to an extent of five lakhs rupees from nationalized bank duly addressed to the Chief Inspector of Lifts and Escalators.

(f) The person seeking registration shall have the following minimum qualified staff on regular employment, namely:-

(i) At least one person with Batchelor of Engineering Degree or Diploma in Mechanical Engineering from recognized university or institution with two or four years of experience respectively in erection of Lifts or Escalators.

(ii) At least one person with Batchelor of Engineering Degree or Diploma in Electrical Engineering from recognized university or institution with two or four years of experience respectively in erection of Lifts or Escalators. The Electrical Engineering degree or diploma holder shall have valid Electrical Supervisor Competency certificate and Supervisor (Utilisation) permit" issued under the Andhra Pradesh Electrical Licensing Rules, 2025.

(iii) Three number of Technicians with qualification of Industrial Training Institute (ITI) or its equivalent, (one with Electrician Trade, one with Fitter Trade and another one with Electronic Mechanic or Instrumentation Mechanic Trade OR one with certificate course in Lift or Elevator technology or equivalent from the recognized institution for erection purpose. The technician in Electrician Trade shall have valid " Wireman Competency Certificate and Wiremen Permit" issued under the Andhra Pradesh Electrical Licensing Rules, 2025.

(iv) For Maintenance Wing:- One Maintenance team of three technicians for Maintenance of every fifty Lifts or Escalators in a calendar year (one with Electrician Trade, one with Fitter Trade and another one with Electronic Mechanic or Instrumentation Mechanic Trade OR one with certificate course in Lift or Elevator technology or equivalent from the recognised Institution. The technician in Electrician Trade shall have valid Wireman Competency Certificate



and Wiremen Permit” issued under the Andhra Pradesh Electrical Licensing Rules, 2025.

(v) For Service Station Wing:- A responsible person shall be available round the clock in the service station or Office for responding to complaints;

Provided that in case of a Registered person for the purpose of only maintenance of Lift and Escalator shall have the minimum staff referred in sub- clause (iv) and (v) with one engineer specified in clause (i) or (ii).

(g) The Person seeking registration shall possess Electrical Contractor License not below 11 K.V.

(h) The person seeking registration shall have a workshop or logistic centre in his own possession or on rent or lease basis within the state of Andhra Pradesh with independent facility and telephone and such workshop or logistic centre shall be equipped with the following minimum machineries and testing instruments either stationary or portable, namely:-

- (i) Lathe machine;
- (ii) Drill machine of minimum 16 mm capacity;
- (iii) Hammer drilling machine of 24 mm;
- (iv) Welding machine of 5 kVA or above;
- (v) bending machine with 5 H.P or above;
- (vi) cut-off machine (power operated);
- (vii) Chain pulley block of 3 tonne capacity;
- (viii) Clip on meter (tong tester) for measurement of voltage, current etc;
- (ix) Tachometer;
- (x) Rope tension gauge;
- (xi) Tests weight for over balancing and static balancing;
- (xii) Physical measurement tool (PMT) for measuring speed, auxiliary jerk, distance travelled, vibration (where the testing of Lifts with speed exceeds more than 1.5 mps);
- (xiii) Decibels meter to measure the noise level;
- (xiv) Crimping tool; and
- (xv) Torque wrench for testing of bolts and nuts;

Provided, that in case of a person seeking registration having his own manufacturing unit within the state of Andhra Pradesh, he shall not be required to have a separate workshop but he shall be required to have the minimum machineries and instruments as mentioned above.



(i) The person seeking registration shall have necessary tools, safety gadgets, and headgears as listed in Annexure-1 for entire staff engaged in the work of erection and maintenance.

(j) The person seeking registration shall have suitable independent vehicles in his possession for transportation of materials;

Provided that when the number of Lifts, Escalators under maintenance in a city or town other than the city where the main office is situated exceeds fifty, additional service station shall be established in such city or town having facilities as required.

(k) The person seeking registration shall possess a copy of Act and these rules and the relevant code of practices prescribed by the Bureau of Indian Standards for installation and maintenance of Lifts or Escalators.

**9. Registered person to abide by the Conditions:-**

(1) The Registered person shall execute an agreement with the owner of Lifts and Escalators in Form-E1.

(2) The Registered person shall intimate the date of commencement of work of installation or erection or addition or alteration to any Lifts or Escalators in Form-E2 to the concerned Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators.

(3) The Registered person shall display a bill board at the entrance of the installation in the Form-E3 containing the name of registered firm, name of registered person, name of the supervising engineer, names of the technicians and apprentice technicians with their license or permit number with validity, and details of installation or erection, addition or alteration work undertaken.

(4) The Registered person shall maintain the registers showing the details of:-

- (i) Supervising engineer, technicians, and apprentices working for him in Form-E4;
- (ii) Attendance register of employees in Form-E5;
- (iii) Work allocation register in Form-E6;
- (iv) Materials issue register in Form-E7;
- (v) Number of Lifts or Escalators for which erection permission is obtained in Form-E8;
- (vi) Number of Lifts or Escalators approvals for use obtained in Form-E9; and

(vii) Number of Lifts or Escalators for which maintenance contract is obtained in Form-E10.

(5) The Registered person shall maintain reports for tests conducted in Form-C2 and Form-C3 on all Lifts or Escalators maintained by him.

(6) The Registered person shall conduct at least two awareness programmes in a financial year to educate Children and Adults about the risks, and safe way to use Lifts or Escalators. These awareness programmes shall be conducted in schools and residential housing complexes, apartments, malls, commercial and office complexes etc., in which they have maintenance contract.

(7) The Registered person shall train and issue Training Certificate to eligible persons in Form-F to operate every Lifts or Escalators installed by him.

(8) Any accident in the operation of any Lift or Escalator maintained by any registered person, results or is likely to have resulted in loss of human life or injury to any person, he shall inform the concerned authorities for investigation within twenty four hours of the occurrence of the accident over telephone and shall furnish the report of detailed causes leading to the accident, within forty eight hours, to the Inspector of Lifts and Escalators.

**10. Conditions for renewal of registration of a registered person:-**

The Registered person intending to renew their Registration for erection or maintenance of Lift or Escalator in the State shall fulfill the following conditions, namely:-

- a) the Company shall possess a copy of the Act and these rules and the relevant code of practices prescribed by the Bureau of Indian Standards for installation and maintenance of Lifts and Escalators;
- b) shall produce proof for having conducted at least two safety awareness programmes on safe usage of Lifts and Escalators in a financial year.
- c) shall produce proof for having trained and issued training certificate in Form-F to operate every Lifts or Escalators installed by him; and
- d) shall fulfill conditions specified rules 8 and 9.

**11. Issue of duplicate copy of registration and re-grant of registration:-**

(1) Application for issue of duplicate copy of registration shall be made along with the affidavit as in Form-G' and an original Treasury challan or receipt for having paid the fee specified in the Annexure 4.

(2) Application for re-grant of registration shall be in Form - D1 in case of lapsed registration along with the affidavit as in Form-H and an original Treasury challan or receipt for having paid the fee as specified in the Annexure 4.

**12. Terms on which Lifts or Escalators are to be installed and operated or used:-**

(1) Every Lift or Escalator shall be installed and operated or used as per the requirements specified in the relevant code of practices prescribed by the Bureau of Indian standard, the Electricity Act, 2003 (Central Act 36 of 2003) and any rules or Regulations made there under including National Electrical Code, National Building Code.

(2) All apparatus and components of Lifts or Escalators shall be of sufficient ratings and of sufficient mechanical strength for the duty which they may be required to perform under the environmental conditions of installation and shall be constructed, installed, protected, worked and maintained to ensure safety of human beings and property.

**(3) Separate Electrical Connection:-**

(i) A separate electrical connection or a separate independent circuit with protection as per relevant standards, as the case may be, shall be provided exclusively for the use of Lift or Escalator.

(ii) Except for the purpose of tests, supply of electricity shall not be arranged under sub section (6) of section 4 of the Act to any Lift or Escalator without obtaining the license from the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators.

(4) (i) Every owner of a Lift or Escalator shall enter into a contract agreement with the registered person for the satisfactory maintenance of Lifts or Escalators and shall get his Lift or Escalator tested in the manner specified in Codes and specifications of Bureau of Indian Standards as per sub

section (3) of section 16 of the Act at least once in every two months.

(ii) Every owner of Lift, or Escalator shall cause to maintain in a register containing such particulars as specified in Form-H1 and he shall ensure that the following minimum work is carried out and the results entered in the log book through registered person: -

I. In respect of Lifts, namely:-

- (a) Cleaning and lubricating the guides;
- (b) Examining the ropes and their attachments;
- (c) Examining the safety devices;
- (d) Examining and lubricating the door locks;
- (e) Lubricating all moving parts;
- (f) Examining all electrical connections including lighting, plug point and earthing; and
- (g) Such other works as the case may be necessary.

II. In respect of Escalators, namely:-

- (a) Cleaning of Escalators pit;
- (b) Cleaning and lubricating all moving parts;
- (c) Examining balustrade and their attachments;
- (d) Examining the safety devices;
- (e) Examining and lubricating all the parts of machinery which require lubrication;
- (f) Examining the worm and the gear, the track trusses and the step treads and landings;
- (g) Examining all electrical wiring controlling devices and earthing of the entire machineries with controlling switches; and
- (h) Such other works as the case may be necessary.

(iii) Further, every owner of Lift, or Escalator shall obtain from the registered person annual testing and maintenance report in Form-C2 or Form-C3, as the case may be, and submit a copy of it to the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators.

**(5)** (i) In every building, except residential building having height exceeding 15 mtrs, Lifts shall be operated by trained Lift operator appointed by the owner of the Lift and such operator shall be on duty for the whole period during which the Lift is put into use.

(ii) Every Lift operator must have attained the age of eighteen years and is conversant with the proper operation of the Lift as well as rescue operation in case of emergency. The operator shall possess

Training certificate issued from any of the registered person to operate the Lift. The Training certificate shall be in Form-F. Copy of the same shall be forwarded to the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators.

(6) Every owner of a Lift or Escalator shall not operate or cause the Lift or Escalator to be operated which is not in safe working condition. In case of any malfunction, owner or his agent shall bring it to the notice of the registered person to whom the Lift or Escalator maintenance work is entrusted.

(7) No person other than registered person shall willfully interfere with any mechanism of the Lift or Escalator installation.

(8) Every registered person entrusted with the work of maintenance of Lift or Escalator and its installation by the owner under section 17 of the Act shall satisfy himself that all the safety devices are functioning properly while the Lift or Escalator is in use and report to such owner or his agent, any defect noticed in the installation.

(9) Whenever the Lift or Escalator is under maintenance, the owner or his agent shall ensure that a Caution Board is displayed near the landing doors at every floor in case of Lift and in conspicuous position in case of Escalator.

(10) The owner of the Lift or Escalator shall arrange to display the following in the Lift car and in conspicuous position in case of Escalators.

- (i) Do's and Don'ts-safety instructions for users;
- (ii) Name and phone numbers of the persons to be contacted in case of emergency; and
- (iii) A Load plate indicating rated load of the Lift (The rated load shall be given in terms of persons and kilograms).

**13. Right to enter any building for inspection of Lift or Escalator and its installations:-**

- (1) The notice to be given under sub-section (1) of section 11 of the Act shall be in Form-I.
- (2) The order to be issued under sub-section (2) of section 10 of the Act shall be in Form-J.

**14. Report of Accidents:-**

A report of any accident in the operation of any Lift or Escalator shall be informed by the owner or his agent to all the concerned authorities for investigation within twenty four hours of the occurrence of the accident over telephone and shall also send a

detailed report within forty eight hours in Form K along with report of registered person as required under sub-section (1) of section 13 of the Act.

**15. Additions and alterations to the Existing Lift or Escalator:-**

(1) In case of additions or alterations, every owner of a Lift or Escalator shall obtain approval from the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators after filing an application in Form-A1 for Lifts and in Form-A2 for Escalators along with a fee specified in Annexure 4.

(2) On receipt of request, the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators shall after enquiry or inspection as may be necessary may grant permission.

**16. Unused Lift or Escalator:-**

When a Lift or Escalator installed at any place ceases to be used as such, the owner shall either remove it after obtaining dismantling permission from the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators or maintain it in a safe mechanical condition after disconnecting it entirely from the electric supply under intimation to the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators. All gates and doors shall be effectively locked so as to prevent the entry of unauthorized persons to the Lift well.

**17. Periodical Inspection of Lifts or Escalators installations.-**

The owner of every such Lift or Escalator which is in use, has the option to get his Lift or Escalator once in a year periodically inspected by the Inspector of Lifts and Escalators on payment of fee as specified in the Annexure 4

**18. Transfer of license and issue of duplicate copy thereof:-**

(1) The transfer of license may be allowed to the applicant on an application along with title deed, encumbrance certificate to the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators along with the payment of fee as specified in the Annexure 4.

(2) A duplicate copy of license may be issued on an application made for the purpose to the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators along with the payment of fee as specified in the Annexure 4. Necessary documents may be furnished as may be required by the Chief Inspector of Lifts and Escalators/Inspector of Lifts and Escalators.



**19. Cancellation or Suspension of Registration for Violation of terms and conditions:-**

(1) Whenever it appears to the Chief Inspector of Lifts, Escalators that, any registered person;

(a) has violated any of the terms and conditions of the registration;

(b) has misrepresented to any authority, organization or to any person with regard to registration, erection and maintenance of Lifts, Escalators, either before or after obtaining the registration;

(c) has misbehaved with any officers or officials, or has been convicted by the court of law or black listed by any Government undertaking in relation to installation and maintenance of Lifts or Escalators:-

(d) has played fraud or misrepresented for obtaining Registration;

(e) is declared bankrupt, or insolvent by the appropriate authority or wound up dissolved, or portioned, the registration can be suspended, for a maximum period of ninety days or up to the validity of registration whichever is earlier.

(2) The Chief Inspector of Lifts, Escalators may order for an enquiry, on violation of terms and conditions by the owner of Lifts, Escalators. Based on the enquiry report he may cancel the registration or revoke the suspension of registration if he thinks fit.

Provided, no registration shall be cancelled, without giving the registered person an opportunity of being heard.

(3) If the registration is suspended or cancelled, such person shall not carry out any work until the suspension or cancellation is revoked by a separate order by the appellate authority.

**20. Appeals:-**

(1) The aggrieved person by an order of Chief Inspector of Lifts, Escalators and shall make a representation to the Government, enclosing the copy of the order within thirty days from the date of receipt of the order. The Appeal under sub section (3) of section 14 of the Act shall be in Form-L. After due enquiry the Government may pass appropriate Order as it thinks fit.



(2) Fees for appeal as specified in the Annexure 4 shall be paid along with such application.

**21. Electronic mode of application/Registration/license/permission:-**

An applicant can avail the services under the Act, through electronic mode including payment of fee online as specified in Annexure 4.

**22. Savings:-**

Nothing contained in these rules effect the provisions of the Electricity Act, 2003 (36 of 2003) or any rules or regulations made thereunder.

4. The Directorate of Electrical Safety & Chief Electrical Inspector to Govt shall take further necessary action in the matter accordingly.

**K. VIJAYANAND,**

*Special Chief Secretary to Government (FAC).*

---X---